

FIG. 1 (PRIOR ART)

FIG. 1A




FIG. 1B




FIG. 1C




FIG. 2




FIG. 3




FIG. 4




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 6




FIG. 7

MANUFACTURING FLOWCHART OF LIQUID CRYSTAL
DISPLAY DEVICE

CONTACT ONE END OF TCP HAVING TWO SLITS TO
PERIPHERAL PORTION OF LIQUID CRYSTAL PANEL
UNDER PRESSURE



MOUNT CONNECTING SUBSTRATE ON THE OTHER
END OF TCP BY PRESSURE-CONTACT OR SOLDERING



LOOSELY MOUNT LIQUID CRYSTAL PANEL ON UPPER
SURFACE OF CASING



PULL UP CONNECTING SUBSTRATE BY BENDING TWO SLITS
OF TCP



ENGAGE CONNECTING SUBSTRATE WITH HOOK PORTIONS
ON SIDE SURFACE OF CASING BY RETURNING
ONE OF TWO SLITS TO FLAT STATE

FIG. 8




FIG. 9




FIG. 10A




FIG. 10B




FIG. 10C




FIG. 11




FIG. 12A




FIG. 12B




FIG. 12C

